

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**


In the Claims

Please substitute the following claims 17, 23, 25, 26 and 30 for claims 17, 23, 25, 26 and 30 now pending in the above-identified application.

Please cancel claims 1-16, 24, 31, 35 and 36 without prejudice to the filing of future continuing applications.

Claims 1-16 (Cancelled)

17. (Currently Amended) A compound represented by the formula



wherein R^{23} is C_{1-6} alkyl group having C_{7-16} aralkyloxy-carbonylamino optionally having substituents selected from the group consisting of halogen atom, C_{1-6} alkoxy and C_{1-6} alkyl; P^4 is C_{1-3} alkylene group; X^5 is ~~CH₂~~, ~~C-OH~~ CH or N; Y^5 is hydrogen atom, halogen atom or C_{1-6} alkoxy group; R^{26} is hydrogen atom or C_{1-6} alkyl group; Y^6 and Y^7 are the same or different and each is hydrogen atom, halogen atom, optionally halogenated C_{1-6} alkyl group or optionally halogenated C_{1-6} alkoxy group, or a salt thereof or a prodrug thereof.

18. (Original) The compound of claim 17, wherein R^{26} is hydrogen atom.

19. (Original) Benzyl 2-((2,2-diphenyl-5-(4-phenylpiperidino)pentyl)amino)-2-

oxoethylcarbamate or a salt thereof,

4-chlorobenzyl 2-((2,2-diphenyl-5-(4-phenylpiperidino)pentyl)amino)-2-oxoethylcarbamate or a salt thereof,

3-chlorobenzyl 2-((2,2-diphenyl-5-(4-phenylpiperidino)pentyl)amino)-2-oxoethylcarbamate or a salt thereof,

benzyl 2-(N-(2,2-diphenyl-5-(4-phenylpiperidino)pentyl)-N-methylamino)-2-oxoethylcarbamate or a salt thereof,


benzyl 2-((5-(4-(3-fluorophenyl)piperidino)-2,2-diphenylpentyl)amino)-2-oxoethylcarbamate or a salt thereof,

benzyl 2-((5-(4-(2-fluorophenyl)piperidino)-2,2-diphenylpentyl)amino)-2-oxoethylcarbamate or a salt thereof,

benzyl 2-((5-(4-(2-methoxyphenyl)piperidino)-2,2-diphenylpentyl)amino)-2-oxoethylcarbamate or a salt thereof, or

3-chlorobenzyl 2-((2,2-bis(4-chlorophenyl)-5-(4-phenylpiperidino)pentyl)amino)-2-oxoethylcarbamate or a salt thereof.

20. (Original) A production method of a compound of claim 17, which comprises reacting a compound represented by the formula




wherein each symbol is as defined in claim 17 or a salt thereof with a reactive derivative of an organic acid of the formula



wherein R^{23} is as defined in claim 17.

21. (Original) A production method of a compound of claim 17, which comprises reacting a compound represented by the formula




wherein each symbol is as defined in claim 17, or a salt thereof with a reactive derivative of the formula



wherein R^{32} is C_{7-16} aralkyloxy-carbonyl group, and X is a leaving group.

22. (Original) A pharmaceutical composition containing a compound of claim 17.

23. (Currently Amended) A compound represented by the formula



wherein R^{26} and R^{27} are the same or different and each is hydrogen atom or C_{1-6} alkyl group;

~~**Alk₂ and Alk₃ are the same or different and each is a bond or C_{1-6} alkylene group**~~

~~**optionally having substituents; R^{29} is (1) C_{6-10} aryl group optionally having substituents or**~~

~~**(2) 5 to 10 membered aromatic heterocyclic group optionally having substituents, which**~~

~~**contains, besides carbon atom, 1 to 3 heteroatom(s) selected from the group consisting of**~~

~~**nitrogen atom, oxygen atom and sulfur atom**~~ **Alk₂ and Alk₃ are the same or different and**

each is a bond, or C_{1-6} alkylene group optionally having substituents selected from the

group consisting of halogen atom, hydroxy, amino and C_{6-10} aryl; R^{29} is (1) C_{6-10} aryl group

or (2) 5 to 10-membered aromatic heterocyclic group containing, besides carbon atom, 1 to 3 heteroatom(s) selected from the group consisting of nitrogen atom, oxygen atom and sulfur atom, which optionally has substituents selected from the group consisting of nitro, halogen atom, C₁₋₆ alkyl, hydroxy, C₁₋₆ alkoxy and C₆₋₁₀ aryl; X² is ~~CH~~, ~~C-OH~~ ~~CH~~ or N; P⁵ and Q⁵ are the same or different and each is C₁₋₆ alkylene group; Y⁶, Y⁷ and Y⁸ are the same or different and each is hydrogen atom, halogen atom, optionally halogenated C₁₋₆ alkyl group or optionally halogenated C₁₋₆ alkoxy group, or a salt thereof or a prodrug thereof.

Claim 24 (Cancelled)

25. (Currently Amended) The compound of claim 23 ~~or 24~~, wherein R²⁹ is indol-2-yl optionally having substituents selected from the group consisting of nitro, halogen atom, C₁₋₆ alkyl, hydroxy, C₁₋₆ alkoxy and C₆₋₁₀ aryl.
26. (Currently Amended) The compound of claim 23 ~~or 24~~, wherein R²⁹ is indol-2-yl optionally having substituents selected from halogen atom, C₁₋₆ alkyl, C₁₋₆ alkoxy and hydroxy.
27. (Original) N-(2-((2,2-Diphenyl-5-(4-phenylpiperidino)pentyl)amino)-2-oxoethyl)indole-2-carboxamide or a salt thereof,
N-(2-((2,2-diphenyl-5-(4-phenylpiperidino)pentyl)amino)-2-oxoethyl)-1-methylindole-2-carboxamide or a salt thereof,
5-chloro-N-(2-((2,2-diphenyl-5-(4-phenylpiperidino)pentyl)amino)-2-oxoethyl)indole-2-carboxamide or a salt thereof,

N-(2-((2,2-bis(4-chlorophenyl)-5-(4-phenylpiperidino)pentyl)amino)-2-oxoethyl)indole-2-carboxamide or a salt thereof,

N-(2-((2,2-bis(4-chlorophenyl)-5-(4-phenylpiperidino)pentyl)amino)-2-oxoethyl)-5-chloroindole-2-carboxamide or a salt thereof,

N-(2-((2,2-bis(4-chlorophenyl)-5-(4-phenylpiperidino)pentyl)amino)-2-oxoethyl)-1-methylindole-2-carboxamide or a salt thereof,

N-(2-((2,2-bis(4-chlorophenyl)-5-(4-phenylpiperidino)pentyl)amino)-2-oxoethyl)-5-fluoroindole-2-carboxamide or a salt thereof,

N-(2-((2,2-bis(4-chlorophenyl)-5-(4-phenylpiperidino)pentyl)amino)-2-oxoethyl)-5-methoxyindole-2-carboxamide or a salt thereof,

N-(2-((2,2-bis(4-chlorophenyl)-5-(4-phenylpiperidino)pentyl)amino)-2-oxoethyl)-5-hydroxyindole-2-carboxamide or a salt thereof,

N-(2-((5-(4-(2-fluorophenyl)piperidino)-2,2-diphenylpentyl)amino)-2-oxoethyl)indole-2-carboxamide or a salt thereof,

N-(2-((5-(4-(2-fluorophenyl)piperidino)-2,2-diphenylpentyl)amino)-2-oxoethyl)-1-methylindole-2-carboxamide or a salt thereof,

5-chloro-N-(2-((5-(4-(2-fluorophenyl)piperidino)-2,2-diphenylpentyl)amino)-2-oxoethyl)-1-methylindole-2-carboxamide or a salt thereof,

5-chloro-N-(2-((5-(4-(2-fluorophenyl)piperidino)-2,2-diphenylpentyl)amino)-2-oxoethyl)indole-2-carboxamide or a salt thereof,

N-(2-((2,2-bis(4-chlorophenyl)-5-(4-(2-fluorophenyl)piperidino)pentyl)amino)-2-oxoethyl)-5-fluoroindole-2-carboxamide or a salt thereof,

N-(2-((2,2-bis(4-chlorophenyl)-5-(4-(2-fluorophenyl)piperidino)pentyl)amino)-2-oxoethyl)-5-methoxyindole-2-carboxamide or a salt thereof,

N-(2-(((2,2-bis(4-chlorophenyl)-5-(4-(2-fluorophenyl)piperidino)pentyl)amino)-2-oxoethyl)indole-2-carboxamide or a salt thereof,

N-(2-(((2,2-bis(4-fluorophenyl)-5-(4-phenylpiperidino)pentyl)amino)-2-oxoethyl)indole-2-carboxamide or a salt thereof,

N-(2-(((2,2-bis(4-fluorophenyl)-5-(4-phenylpiperidino)pentyl)amino)-2-oxoethyl)-5-chloroindole-2-carboxamide or a salt thereof,


N-(2-(((2,2-bis(4-fluorophenyl)-5-(4-(2-methoxyphenyl)piperidino)pentyl)amino)-2-oxoethyl)indole-2-carboxamide or a salt thereof,

N-(2-(((2,2-bis(4-fluorophenyl)-5-(4-(2-methoxyphenyl)piperidino)pentyl)amino)-2-oxoethyl)-5-chloroindole-2-carboxamide or a salt thereof,


N-(2-(((2,2-bis(4-fluorophenyl)-5-(4-(2-fluorophenyl)piperidino)pentyl)amino)-2-oxoethyl)indole-2-carboxamide or a salt thereof, or

N-(2-(((2,2-bis(4-fluorophenyl)-5-(4-(2-fluorophenyl)piperidino)pentyl)amino)-2-oxoethyl)-5-chloroindole-2-carboxamide or a salt thereof.

28. (Original) A production method of a compound of claim 23, which comprises reacting a compound represented by the formula




wherein each symbol is as defined in claim 23, or a salt thereof with a reactive derivative of an organic acid of the formula



wherein each symbol is as defined in claim 23.

29. (Original) A pharmaceutical composition containing a compound of claim 23.

30. (Currently Amended) A compound represented by the formula




wherein R^{26} and R^{27} are the same or different and each is hydrogen atom or C_{1-6} alkyl group; R^{30} is hydrogen atom, C_{1-6} alkyl group or optionally halogenated C_{1-6} alkyl-carbonyl group; **~~Alk is C_{1-6} alkylene group optionally having substituents; Alk_2 and Alk_3 are the same or different and each is a bond or C_{1-6} alkylene group optionally having substituents; R^{31} is C_{6-10} aryl group optionally having substituents~~** Alk is C_{1-6} alkylene group optionally having substituents selected from the group consisting of halogen atom, hydroxy, amino and C_{6-10} aryl; Alk_2 and Alk_3 are the same or different and each is a bond or C_{1-6} alkylene group optionally having substituents selected from the group consisting of halogen atom, hydroxy, amino and C_{6-10} aryl; R^{31} is C_{6-10} aryl group optionally having substituents selected from the group consisting of halogen atom, C_{1-6} alkyl, hydroxy, C_{1-6} alkoxy and C_{6-10} aryl; X^2 is CH, C-OH or N; P^5 and Q^5 are the same or different and each is C_{1-6} alkylene group; Y^6 , Y^7 and Y^8 are the same or different and each is hydrogen atom, halogen atom, optionally halogenated C_{1-6} alkyl group or optionally halogenated C_{1-6} alkoxy group, or a salt thereof or a prodrug thereof.

Claim 31 (Cancelled)


32. (Original) N-(2-((2-((2,2-Diphenyl-5-(4-phenylpiperidino)pentyl)amino)-2-oxoethyl)amino)-2-oxoethyl)-2,2,2-trifluoro-N-phenylacetamide or a salt thereof, 2-anilino-N-(2-((2,2-diphenyl-5-(4-phenylpiperidino)pentyl)amino)-2-oxoethyl)acetamide or a salt thereof, or 2-(((benzylamino)carbonyl)amino)-N-(2,2-diphenyl-5-(4-phenylpiperidino)pentyl)acetamide or a salt thereof.

33. (Original) A production method of a compound of claim 30, which comprises reacting a compound represented by the formula




wherein each symbol is as defined in claim 30, or a salt thereof, with,

(1) when Alk₂ is C₁₋₆ alkylene group optionally having substituents, a reactive derivative of an organic acid compound of the formula



wherein each symbol is as defined in claim 30,

(2) when Alk₂ is a bond, a reactive derivative of the formula




wherein X is leaving group, and other symbols are as defined in claim 30.

34. (Original) A pharmaceutical composition containing a compound of claim 30.

Claims 35 and 36 (Cancelled)

37. (Original) A compound represented by the formula



wherein R²⁷ is hydrogen atom, halogen atom, optionally halogenated C₁₋₆ alkyl group or optionally halogenated C₁₋₆ alkoxy group, or a salt thereof.